INSPIRE

Inspire Series

WASTE & RECYCLING BINS

MADE IN THE USA

PRESTWICK

max-R SISTER BAY FURNITURE CO.

W248 N5499 Executive Drive • Sussex, WI 53089 USA
1 (888) 868-6297 • **max-r.com**

Why Inspire

The Inspire series is available in virtually any finish and material, and has minimized seams with a flush floor-to-top front panel. A double waste and recycle unit has french-door access.

Reinforced Top

For durability available in a variety of materials

Rust-Free Hardware

Our fasteners are made from 316 marine-grade stainless steel and won't corrode or rust over time.

Hinged Door

Efficiency and serviceability at each bin keeps your costs down and minimizes safety hazards.

Rigid Liner

All rigid liners are included with each receptacle no matter the chosen stream.

Reinforced Materials

For added strength with near-limitless premium material options.

Turn Feet Included

To ensure longevity and structural integrity, turn feet are included on the ends of posts.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

How to Order

The Inspire Series of bins elegantly elevates the waste and recycling bin with its simplicity in design and diversity in material options. We believe having a low footprint receptacle that adapts to its interior surroundings while adhering to your program sends a powerful message and will foster the growth of your sustainability program.

Before considering your color combinations, stream diversion, and branding, configure your receptacle for each locations' specific requirements, which can be customized to meet your functional needs.

Choose Number of Streams

1 Stream | 2 Streams | 3 Streams | 4 Streams

Choose Configuration



Equal | Varying | Split

Choose Gallon Capacity

10 | 18 Slim | 22 Slim | 26 Slim | 26

32 | 38 | 45 | 55

Choose Materials & Finishes

Choose from any of our popular options or any Corian™ or laminate from Wilsonart or Formica.

White Oak | Blossom Cherrywood | Asian Night | Brushed Aluminum | Corian® Rain Cloud | Corian® Deep Mink

Choose Opening ID Text

Custom text available upon request.

ALUMINUM	BOTTLES & CANS	BOTTLES
COMPOST	LANDFILL	PAPER
RECYCLE	WASTE	TRASH

Choose Opening Shape

Custom shapes available upon request.

One Circle | Double Circle | Diamond | Slot

Saturn | Triangle | Square | Max Size

Symbols

Custom symbols available upon request. Additional fees may apply.

Branding



Overlay | Plaque

Door Pulls



Notched Out | Bent Stainless | Black Knob

Security & Mobility

Cam Lock | Casters

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Define Your Scope

When determining the scope of your program, several variables need to be considered. These fundamental choices need to be the first step: optimal location (inside or outdoors), properly-sized capacities, and fine-tuned configurations is imperative for any successful sustainability program.



Aesthetic Style (Top Load)

Royal | Champion | Imperial

Number of Streams

Single | Double | Triple | Quad

Configurations

Equal | Varying | Split

Gallon Capacities

10 | 18 Slim | 22 Slim | 26 Slim | 26

32 | 38 | 45 | 55

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Select Your Colors

Champion utilizes laminates and finishes ranging from Formica®, Wilsonart® and Corian®. Mix and match body and top colors to create a unique solution that adheres to your unique branding, sustainability mandates, or surrounding aesthetics.

Color Combinations

Mono Tone

Two Tone

Brushed Aluminum Top

Corian® Top

Laminate Top

Available Colors

Choose from any of our popular options or any Corian® or laminate from Wilsonart® or Formica®.

White Oak

Blossom Cherrywood

Asian Night

Brushed Aluminum

Corian® Rain Cloud

Corian® Deep Mink

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Identify Your Streams

Cross-contamination is the enemy because it hampers your sustainability efforts and costs you money. Get ahead of it by creating effective visual cues focused on your openings through the use of color, restrictive openings, and effective labeling. With interchangeable openings, you can future proof for ever-changing goals and needs.

Restrictive Openings

Standard



Split Double

Opening Labels

Standard



Subtle



Surround

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Add Graphics

Graphics, symbols, and logos add some effective touches that really make the receptacle your own. Symbols and graphics help to further support your stream identification while logos help end users take pride in—and become loyal to—your green efforts.

Symbols

Standard

Subtle

Branding

Overlay

Laser Cut Metal

Cast Metal

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Choose Hardware

Now that you've customized your receptacle into the ideal tool in your sustainability program, some additional function may be needed. With our engineering knowhow, and over 20 years of experience, we have developed extra performance to help increase serviceability across many different customer scenarios.

Door Pulls



Notched Out | Bent Stainless | Black Knob

Security & Mobility



Cam Lock



Casters

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Champion Triple Top Load

Royal Double Top Load

Imperial Double Top Load



Champion Double Top Load



Champion Triple Top Load

Champion Double Top Load

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Specifications

	VOL	SINGLE				DOUBLE				TRIPLE				QUAD			
	(Gallons)	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*
ROYAL	**10**	16.25	15	30.75	85 lbs	29.5	15	30.75	122 lbs	42.75	15	30.5	182 lbs	56	15	30.75	—
	18 Slim	16.25	23.75	30.75	90 lbs	29.5	23.75	30.75	129 lbs	42.75	23.75	30.5	192 lbs	56	23.75	30.75	—
	22 Slim	16.25	23.75	35.75	95 lbs	29.5	23.75	35.75	136 lbs	42.75	23.75	35.5	203 lbs	56	23.75	35.75	—
	26 Slim	16.25	23.75	39.25	100 lbs	29.5	23.75	39.25	—	42.75	23.75	39	—	56	23.75	39.25	—
	26	21.75	21	30.75	100 lbs	40.5	21	30.75	145 lbs	59.25	21	30.5	218 lbs	-	-	-	—
	32	21.75	21	35.75	108 lbs	40.5	21	35.75	161 lbs	59.25	21	35.5	245 lbs	-	-	-	—
	38	26.25	23.75	30.75	115 lbs	49.25	23.75	30.75	177 lbs	72.5	23.75	30.5	272 lbs	-	-	-	—
	38 Split *(18+18)*	-	-	-	—	26.25	23.75	30.75	115 lbs	-	-	-	—	49.25	23.75	30.75	192 lbs
	45	26.25	23.75	35.75	130 lbs	49.25	23.75	35.75	189 lbs	72.5	23.75	35.5	290 lbs	-	-	-	—
	45 Split *(22+22)*	-	-	-	—	26.25	23.75	35.75	130 lbs	-	-	-	—	49.25	23.75	35.75	189 lbs
	55	26.25	23.75	39.25	145 lbs	49.25	23.75	39.25	210 lbs	72.5	23.75	39	326 lbs	-	-	-	—
	55 Split *(26+26)*	-	-	-	—	26.25	23.75	39.25	145 lbs	-	-	-	—	49.25	23.75	39.25	210 lbs
CHAMPION	**10**	13.5	14.75	30.75	85 lbs	25.75	14.75	30.75	122 lbs	38.25	14.75	30.75	182 lbs	50.5	14.75	30.75	240 lbs
	18 Slim	13.5	23.5	30.75	90 lbs	25.75	23.5	30.75	129 lbs	38.25	23.5	30.75	192 lbs	50.5	23.5	30.75	255 lbs
	22 Slim	13.5	23.5	30.75	95 lbs	25.75	23.5	30.75	136 lbs	38.25	23.5	30.75	203 lbs	50.5	23.5	30.75	270 lbs
	26 Slim	13.5	23.5	30.75	100 lbs	25.75	23.5	30.75	145 lbs	38.25	23.5	30.75	218 lbs	50.5	23.5	30.75	285 lbs
	26	19.5	20.75	30.75	100 lbs	38	20.75	30.75	145 lbs	56.5	20.75	30.75	218 lbs	-	-	-	—
	32	19.5	20.75	35.75	108 lbs	38	20.75	35.75	161 lbs	56.5	20.75	35.75	245 lbs	-	-	-	—
	38	24	23.5	30.75	115 lbs	46.75	23.5	30.75	177 lbs	69.75	23.5	30.75	272 lbs	-	-	-	—
	38 Split *(18+18)*	-	-	-	—	24	23.5	30.75	115 lbs	-	-	-	—	46.75	23.5	30.75	192 lbs
	45	24	23.5	35.75	130 lbs	46.75	23.5	35.75	189 lbs	69.75	23.5	35.75	290 lbs	-	-	-	—
	45 Split *(22+22)*	-	-	-	—	24	23.5	35.75	130 lbs	-	-	-	—	46.75	23.5	35.75	189 lbs
	55	24	23.5	39.25	145 lbs	46.75	23.5	39.25	210 lbs	69.75	23.5	39.25	326 lbs	-	-	-	—
	55 Split *(26+26)*	-	-	-	—	24	23.5	39.25	145 lbs	-	-	-	—	46.75	23.5	39.25	210 lbs
IMPERIAL	**10**	17.75	15.25	35.5	85 lbs	33.25	15.25	35.5	122 lbs	48.75	15.25	35.5	182 lbs	61.25	15.25	35.5	—
	18 Slim	17	25.5	35.5	90 lbs	31.75	25.5	35.5	129 lbs	46.5	25.5	35.5	192 lbs	61.25	25.5	35.5	—
	22 Slim	17	25.5	40.5	95 lbs	31.75	25.5	40.5	136 lbs	46.5	25.5	40.5	203 lbs	61.25	25.5	40.5	—
	26 Slim	17	25.5	35.5	100 lbs	31.75	25.5	35.5	—	46.5	25.5	35.5	—	61.25	25.5	35.5	—
	26	22.5	22.75	35.5	100 lbs	42.75	22.75	35.5	145 lbs	63	22.75	35.5	218 lbs	-	-	-	—
	32	27.25	22.75	40.5	108 lbs	42.75	22.75	40.5	161 lbs	63	22.75	40.5	245 lbs	-	-	-	—
	38	27.25	25.5	35.5	115 lbs	52	25.5	35.5	177 lbs	77	25.5	35.5	272 lbs	-	-	-	—
	38 Split *(18+18)*	-	-	-	—	27.25	25.5	35.5	115 lbs	-	-	-	—	52	25.5	35.5	192 lbs
	45	27.25	25.5	40.5	130 lbs	52	25.5	40.5	189 lbs	77	25.5	40.5	290 lbs	-	-	-	—
	45 Split *(22+22)*	-	-	-	—	27.25	25.5	40.5	130 lbs	-	-	-	—	52	25.5	40.5	189 lbs
	55	27.25	25.5	44	145 lbs	52	25.5	44	210 lbs	77	25.5	44	326 lbs	-	-	-	—
	55 Split *(26+26)*	-	-	-	—	27.25	25.5	44	145 lbs	-	-	-	—	52	25.5	44	210 lbs

Due to product improvements and material selection, dimensions and weights should be considered approximate. Additional streams available. Call for details.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

SUSTAINABILITY

How Do Our Premium Materials Stack Up?

PUT TO THE TEST

RENEWABLE MATERIALS

Corian®, Formica®, and Wilsonart® ensure their materials are durable and built to last, but also renewable—lowering the overall carbon footprint.

GREENGUARD SURFACES

Corian®, Formica®, and Wilsonart® materials are easy to clean and possess low VOC qualities, which improve health and air quality for all.

ECO-FRIENDLY

FSC-certified hardwood or sustainably-sourced recycled content my earn LEED credits depending on the material or finish.

CORIAN®	
✓	Certified in GREENGUARD, NAHB, and SCS for environmental and hygenic performance
✓	SCS Recycled Content Certified
✓	Durable, renewable surfaces
✓	Responsible raw materials, suppliers, and packaging
✓	Eco-friendly industrial practices producing less waste and recycling scrap into new product applications
✓	NGBS Green Certified
✓	Non-pourous, low VOC surface is hygenic and easy to sanitize
✓	Meets HPD Open Standard specifications
✓	Environmental Product Declaration in accordance with ISO 14025 (third party verified by UL)
✓	ILFI Declare, Red List Free

Learn more at https://corian.com/-corian-design-sustainability-

WILSONART®	
✓	Engineered to be impact, scratch, moisture resistant, reducing the need for replacement and less waste over time
✓	Laminate derived from managed eucalyptus and pine fibers with 34% SCS-certified recycled content
✓	Solid Surface materials manufactured with renewable acrylic resins, a sustainable solution that's built to last
✓	Adhesives are free of harmful chemicals urea-formaldehyde and methylene chloride
✓	Decorative Metals meet GREENGUARD Gold Certification
✓	Certifications through IAQ, FSC, EPD, HPD, and more
✓	Strong community support: volunteering, financial support, in-kind donations
✓	Incorporated post-consumer content into materials, saving the equivalent of 7.4M trees since 2000 (2020 report)
✓	Clean solar energy, renewable energy used at various sites

Learn more at https://www.wilsonart.com/sustainability

FORMICA®	
✓	May contribute towards LEED v4 Building Product Disclosure and Optimization — Sourcing of Raw Materials
✓	LEED 2009 Certification Credits may include MR4, MR5, MR6, MR7, IEQ 4.5
✓	High Pressure Laminates available with full FSC® certification
✓	Laminate products meet all GREENGUARD requirements for indoor air quality
✓	Recycled eco-friendly content is used in raw materials
✓	Unused samples are donated to schools or creative organizations or reused via Save a Sample

Learn more at https://formica.com/sustainability

CORIAN® DESIGN FORMICA® Wilsonart®

© 2026 The Prestwick Group, Inc. All Rights Reserved.