INNOVAT·R®

Verde Collection

WASTE & RECYCLING BINS

MADE IN THE USA

PRESTWICK

max-R SISTER BAY FURNITURE CO.

W248 N5499 Executive Drive • Sussex, WI 53089 USA
1 (888) 868-6297 • **max-r.com**

Why Verde

The Verde Collection features Max-R's signature post and panel design, stylized arches, and contrasting colors. A cousin of the Halston Collection (now part of Verde's lineup), the Verde's signature feature is its arched panel design.

Arched Design Elements

A distinctive feature of the Verde lies in its remarkable arched design.

Rust-Free Hardware

Our fasteners are made from 316 marine-grade stainless steel and won't corrode or rust over time.

Hinged Door

Efficiency and serviceability at each bin keeps your costs down and minimizes safety hazards.

Rigid Liner

All rigid liners are included with each receptacle no matter the chosen stream.

Post & Panel Construction

We build our furnishings using dado-slot and pocket-screw construction for strength and high performance.

Turn Feet Included

To ensure longevity and structural integrity, turn feet are included on the ends of posts.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

How to Order

The Verde is so much more than a blue bin. We believe that your waste and recycling program deserves a thoughtfully planned receptacle that will meet all of your functional and aesthetic needs, your brand standards, and will foster the growth of your sustainability program.

Before considering your color combinations, stream diversion, and branding, configure your Verde receptacle for each locations' specific requirements. Top or front load, gallon capacity, the number of streams, and top style can all be customized to meet your functional needs.

Choose Loading Style

Choose Number of Streams



Choose Equal or Varying Capacities



Choose Gallon Capacity



Choose Top Style

Choose Panel, Top & Trim Colors

Smooth Grain (Trim & Paneling)

Wood Grain (Trim & Paneling)

Choose Opening ID Text

Custom text available upon request.

ALUMINUM	BOTTLES & CANS	BOTTLES
CANS	CARDBOARD	COMMINGLE
COMPOST	LANDFILL	PAPER
RECYCLE	WASTE	TRASH

Choose Opening Shape

Custom shapes available upon request.



Symbols

Custom symbols available upon request. Additional fees may apply.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

More Options

The Verde—and by extension, the Innovat·R® Series—with its post and panel construction, allows for many useful accessories and structural additions to be paired with your receptacle. With these options, our customers are able to take their goals to new heights.

Graphics

Interchangeable

Full Door

Full Panel

Security


Cam Lock


Flap Door

Logo Options



Engraved

Overlay

Plaque

Mobility


Casters

Door Pulls


Notched Out

Bent Stainless


Black Knob

Tray Racks


Plastic


Stainless


Elevated

Header Boards


Flat Portrait


Flat Landscape


Flat Full Graphic



Flat Engraved


Arched Portrait


Arched Landscape


Arched Full Graphic



Arched Engraved

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Define Your Scope

When determining the scope of your program, several variables need to be considered. These fundamental choices need to be the first step: optimal location (inside or outdoors), properly-sized capacities, and fine-tuned configurations is imperative for any successful sustainability program.



Loading Styles

Top Load

Front Load

Number of Streams

Single

Double

Triple

Quad

Configurations

Equal

Varying

Split

Gallon Capacities

10

18 Slim

22 Slim

26 Slim

26

32

38

45

55

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Choose Your Top Style

The top style combines the user experience with the aesthetics of the receptacle in its space. For example, a Vail Top is slanted forward, which helps to maintain a tidy appearance when liners are inevitably filled passed their capacities. In any case, we will work through your painpoints to help determine the best solution for your particular needs.

Roof Styles



Standard

Flat

Vail

Reverse Vail
(front load only)

Curved
(front load only)

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Select Your Colors

Verde utilizes posts and panels made from Max-R Lumber™, comprised of 95% pure grade recycled materials embedded with UV inhibitors and colorants. Mix and match panel, post, and top colors to create a unique solution that adheres to your unique branding, sustainability mandates, or surrounding aesthetics.

Color Combinations

Mono Tone

Two Tone

Split Color Tops

Split Color Panels & Tops

Split Color Unit

Available Colors

If looking for a specific color beyond our featured selection, we can help find what you're looking for, but a minimum purchase may apply.

Smooth Grain (Trim & Paneling)

Green | Black | Tan | White | Light Brown | Dark Brown | Light Gray | Dark Gray | Blue | Navy | Caramel

Wood Grain (Trim & Paneling)

Birchwood | Brazilian Walnut | Coastal Gray | Driftwood Gray | Mahogany

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Identify Your Streams

Cross-contamination is the enemy because it hampers your sustainability efforts and costs you money. Get ahead of it by creating effective visual cues focused on your openings through the use of color, restrictive openings, and effective labeling. With interchangeable openings, you can future proof for ever-changing goals and needs.

Restrictive Openings

Standard



Split Double

Interchangeable



Interchangeable Split Double

Opening Labels

Standard

Subtle

Surround

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Add Graphics

Graphics, symbols, and logos add some effective touches that really make the receptacle your own. Symbols and graphics help to further support your stream identification while logos help end users take pride in—and become loyal to—your green efforts.

Symbols

Standard | Subtle | Wrap

Branding

Engrave

Overlay

Plaque

Graphics

Interchangeable | Full Door | Full Panel

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Add Messaging

You've equipped your receptacles with an arsenal of visuals which deters what is blindly dumped into a landfill. Often times, eye-level reminders are needed to really drive the point home. With interchangeable graphics, you can continually update your messaging or simply provide general information and even display sponsorship information.

Flat Header Board

Arched Header Board

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Choose Hardware

Now that you've customized your receptacle into the ideal tool in your sustainability program, some additional function may be needed. With our engineering knowhow, and over 20 years of experience, we have developed extra performance to help increase serviceability across many different customer scenarios.

Door Pulls

Notched Out

Black Knob

Security & Mobility


Cam Lock

Flap Door

Casters

Tray Racks

Plastic

Stainless

Elevated

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Top Load Specifications

Verde Triple Top Load


Verde Triple Top Load

Verde Triple Top Load

Top Load

VOL	SINGLE				DOUBLE				TRIPLE				QUAD			
(Gallons)	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*
10	14.5	14.5	35.25	38 LBS	27.25	14.5	35.25	65 LBS	40	14.5	35.25	98 LBS	52.75	14.5	35.25	133 LBS
18 Slim	14.5	23.75	35.25	55 LBS	27.25	23.75	35.25	79 LBS	40	23.75	35.25	118 LBS	52.75	23.75	35.25	157 LBS
22 Slim	14.5	23.75	40.25	65 LBS	27.25	23.75	40.25	95 LBS	40	23.75	40.25	143 LBS	52.75	23.75	40.25	189 LBS
26 Slim	14.5	23.75	43.75	75 LBS	27.25	23.75	43.75	109 LBS	40	23.75	43.75	163 LBS	52.75	23.75	43.75	219 LBS
26	20.5	20.5	35.25	75 LBS	39.25	20.5	35.25	109 LBS	58	20.5	35.25	163 LBS	-	-	-	—
32	20.5	20.5	40.25	78 LBS	39.25	20.5	40.25	118 LBS	58	20.5	40.25	177 LBS	-	-	-	—
38	23.75	23.75	35.25	83 LBS	45.75	23.75	35.25	128 LBS	67.75	23.75	35.25	196 LBS	-	-	-	—
38 Split *(18+18)*	-	-	-	—	23.75	23.75	35.25	83 LBS	-	-	-	—	45.75	23.75	35.25	128 LBS
45	23.75	23.75	40.25	93 LBS	45.75	23.75	40.25	137 LBS	67.75	23.75	40.25	210 LBS	-	-	-	—
45 Split *(22+22)*	-	-	-	—	23.75	23.75	40.25	93 LBS	-	-	-	—	45.75	23.75	40.25	137 LBS
55	23.75	23.75	43.75	105 LBS	45.75	23.75	43.75	147 LBS	67.75	23.75	43.75	221 LBS	-	-	-	—
55 Split *(26+26)*	-	-	-	—	23.75	23.75	43.75	105 LBS	-	-	-	—	45.75	23.75	43.75	147 LBS

Due to product improvements, customizations such as header board additions (which adds ≈ 15-20% more weight), dimensions and weights should be considered approximate. All rigid liners included. Additional streams available. Call for details.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

Front Load Specifications

Verde Double Front Load



Verde Double Front Load

Verde Double Front Load

Front Load

VOL	SINGLE				DOUBLE				TRIPLE				QUAD			
(Gallons)	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*	W	D	H	*(Weight)*
10	14.5	14.5	39.75	38 LBS	27.25	14.5	39.75	65 LBS	40	14.5	39.75	98 LBS	52.75	14.5	39.75	133 LBS
18 Slim	14.5	23.75	39.75	55 LBS	27.25	23.75	39.75	79 LBS	40	23.75	39.75	118 LBS	52.75	23.75	39.75	157 LBS
22 Slim	14.5	23.75	44.75	65 LBS	27.25	23.75	44.75	95 LBS	40	23.75	44.75	143 LBS	52.75	23.75	44.75	189 LBS
26 Slim	14.5	23.75	48.25	75 LBS	27.25	23.75	48.25	109 LBS	40	23.75	48.25	163 LBS	52.75	23.75	48.25	219 LBS
26	20.5	20.5	39.75	75 LBS	39.25	20.5	39.75	109 LBS	58	20.5	39.75	163 LBS	-	-	-	—
32	20.5	20.5	44.75	78 LBS	39.25	20.5	44.75	118 LBS	58	20.5	44.75	177 LBS	-	-	-	—
38	23.75	23.75	39.75	83 LBS	45.75	23.75	39.75	128 LBS	67.75	23.75	39.75	196 LBS	-	-	-	—
38 Split *(18+18)*	-	-	-	—	23.75	23.75	39.75	83 LBS	-	-	-	—	45.75	23.75	39.75	128 LBS
45	23.75	23.75	44.75	93 LBS	45.75	23.75	44.75	137 LBS	67.75	23.75	44.75	210 LBS	-	-	-	—
45 Split *(22+22)*	-	-	-	—	23.75	23.75	44.75	93 LBS	-	-	-	—	45.75	23.75	44.75	137 LBS
55	23.75	23.75	48.25	105 LBS	45.75	23.75	48.25	147 LBS	67.75	23.75	48.25	221 LBS	-	-	-	—
55 Split *(26+26)*	-	-	-	—	23.75	23.75	48.25	105 LBS	-	-	-	—	45.75	23.75	48.25	147 LBS

Due to product improvements, customizations such as header board additions (which adds ≈ 15-20% more weight), dimensions and weights should be considered approximate. All rigid liners included. Additional streams available. Call for details.

© 2026 The Prestwick Group, Inc. All Rights Reserved.

OUR MATERIAL

Maximize Your Investments

INVEST ONCE

MAX-R LUMBER VS. OTHER MATERIALS		WOOD	ALUMINUM	STEEL	POLYSTYRENE	WICKER	WROUGHT IRON	CONCRETE
Long Lasting Durability	✓	✗	✓	✓	✗	✗	✓	✓
Doesn't Absorb Chemicals, Oil, or Water	✓	✗	✗	✗	✗	✗	✗	✗
Won't Rot, Corrode, Splinter, or Decay	✓	✗	✗	✗	✗	✗	✗	✗
Won't Leach Chemicals into Environment	✓	✗	✓	✓	✗	✓	✓	✓
Insect Resistant	✓	✗	✗	✓	✓	✗	✓	✓
Low-Maintenance	✓	✗	✓	✓	✗	✗	✓	✓
Doesn't Require Painting/Sealing/Staining	✓	✗	✗	✗	✗	✗	✗	✗
Can Withstand Outdoors All Year	✓	✗	✗	✗	✗	✗	✗	✓
Variety Of Profiles, Colors, Finishes	✓	✗	✗	✗	✗	✗	✗	✗
Made From Recycled Material	✓	✗	✓	✓	✗	✗	✗	✗
Easily Cleaned, Sanitized with Soap & Water	✓	✗	✓	✓	✗	✗	✓	✗

All Season

Suitable for all climates; stands up to rain, snow, wind, salt spray, and sunlight—leave outdoors all-year.

Pure Recycled Material

Made from purest-grade HDPE and may contribute to LEED® goals under MR 4.1 & MR 4.2.

Durable

Won't rot, split, or delaminate. Solid color throughout ensures a "like new" look for years to come.

Closed Loop

Purity allows material to be recycled multiple times, all scrap is collected for future products.

Regional Footprint

The majority of our raw materials are sourced from within a 150-mile radius of our facility in Sussex, Wisconsin.

LEED v4 Credits

Fulfills credits in the Building Design and Construction category of LEED v4 rating system, potentially earning up to 9 credits.

max-r.com | 1 (888) 868-6297

© 2026 The Prestwick Group, Inc. All Rights Reserved.